

NITRILE	ORANGE, BLACK	POWDER FREE	S-XL	AMBIDEXTROUS	NON STERIL
---------	------------------	----------------	------	--------------	------------

Heavy duty glove with special surface for improved grip, also when handling greasy or fatty objects. Excellent resistance against aromatic and petroleum-based solvents, animal fats and many other substances you might encounter in food production, industrial, automotive and DIY environments.

### Characteristics

<b>Suitable for latex allergic people.</b>	<b>Palm and finger textured for improved grip.</b>
<b>Powder free, single use, ambidextrous</b>	<b>High durability and resistance.</b>
<b>Rolled Edge, protection against spills.</b>	<b>Flexibility and adaptability.</b>

### Packaging

- 50 pieces per dispenser, with a pre-punched opening for hygienic access to the gloves.
- Packaging contains: 10 dispensers of 50 units
- Dimension: 240 x 120 x 50 mm



**Labelling** Manufacturing date, expiration date, batch number, reference and EAN code. Product name in several languages: Spanish, English, French, German, Italian, Portuguese.

CE marking, protection pictograms, safety standards and legislation. Size, size guide and units.

## Standards:

- CE marking PPE Category III according to Regulation (EU) 2016/425
- Complies with food handling requirements of Regulation (EU) 10/2011
- EN ISO 374-1:2016/A1:2018 ; EN 374-2, point 7 ; EN 374-4, point 5
- EN ISO 374-5:2016
- EN 420:2003+A1:2009, dexterity level 5

## Chemical resistance:

### PERMEATION (EN ISO 374-1:2016/A1.2018, type B)

Gloves are classified in terms of time of passage, according to each individual chemical for which the glove resists permeation:

CHEMICALS	LEVEL	LETTER
SODIUM HYDROXIDE 40%	6	K
HYDROGEN PEROXIDE 30%	5	P
FORMALDEHYDE 37%	3	T

## Performance Level:

Time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Performance Level	1	2	3	4	5	6

## DEGRADATION

Degradation % (DR) is determined for each chemical used in the permeation test.

(DR) K: Sodium Hydroxide 40% = -17.83%


(DR) P: Hydrogen peroxide 30% = 5.81%

(DR) T: Formaldehyde 37%= 33.75%

The “Gentle Grip” nitrile glove PPE should be used to protect the user’s hand against chemical risks (products and levels mentioned above) and against microbiological risks (bacteria, fungi and virus).

The present PPE should never be used against other risks than those described above. The use of his PPE should be evaluated correctly depending on the place of work.

EN ISO 374-1:2016/A1:2018    EN ISO 374-5:2016



GLOVE SIZES		S	M	L	XL
Palm width	±5 mm	86	96	107	115
Length	mm	240	240	240	240
Cuff thickness	± 0,02 mm	0.2	0.2	0.2	0.2
Weight	± 0,3 g	8.0	8.4	9.0	9.6

